

HTS	Excluded Description
3901.90.1000	Chlorinated polyethylene elastomer, in white or pale yellow powder form, containing 28 to 44 percent by weight of chlorine (described in statistical reporting number 3901.90.1000)
3904.61.0090	Polytetrafluoroethylene ((C2F4)n), having a particle size of 5 to 500 microns and a melting point of 315 to 329 degrees Celsius (described in statistical reporting number 3904.61.0090)
3906.90.2000	Expandable plastics beads, 0.30 to 0.50 mm in diameter, consisting of copolymers of methylmethacrylate (62 to 64 percent by weight) and styrene (26 to 28 percent by weight) (described in statistical reporting number 3906.90.2000)
3907.20.0000	Polyol blends containing 92 percent or more by weight of polyether polyol (CAS number 9049-71-2) and 2.5% or more by weight of N,N-dimethylcyclohexamine (described in statistical reporting number 3907.20.0000)
3919.90.5060	Hot melt flat shapes of biaxiallyoriented polypropylene (BOPP) film with an acrylic emulsion (described in statistical reporting number 3919.90.5060)
3919.90.5060	Polyethylene film, 20.32 to 198.12 cm in width, and 30.5 to 2000.5 m in length, coated on one side with solvent acrylic adhesive, clear or in transparent colors, whether or not printed, in rolls (described in statistical reporting number 3919.90.5060)
3919.90.5060	Polyvinyl chloride film, coated on one side with pressure sensitive solvent-acrylic adhesive that allows for easy removal from a flat glass or flat, rigid, clear plastics surface, 106.7 cm, 137.2 cm or 152.4 cm in width, and 30.38 m or 49.99 m in length, with regular perforations measuring 1.5 to 1.6 mm in diameter, where the perforations cover 30, 40 or 50 percent of the surface area (described in statistical reporting number 3919.90.5060)
3919.90.5060	Printed rectangular polyethylene sheets depicting images on one side, with self-adhesive edges protected with peel-off liners on the other side, measuring 30.5 cm by 45.7 cm or 30.5 cm by 25.4 cm (described in statistical reporting number 3919.90.5060)
3919.90.5060	Self-adhesive colored or printed polyvinyl chloride film with a peelable liner, in rolls, measuring 30.5 cm or 50.8 cm in width and 3.05 m to 6.10 m in length, of a kind used for lining shelves or drawers (described in statistical reporting number 3919.90.5060)
3920.10.0000	Printed, nonpermeable plastic film of ethylene designed for use in packaging personal care products such as baby wipes, adult wipes and similar wet stack products (provided for in statistical reporting number 3920.10.0000)
3920.10.0000	Polyethylene film of a kind used for wrapping perishable foods, in rolls measuring 30.5 cm in width and up to 76.2 m in length, with a starter edge tab, put up in retail packages incorporating a built-in slide cutter and grip strip for holding the film in place until subsequent use (described in statistical reporting number 3920.10.0000)

3920.10.0000	Rectangular sheets of high-density or low-density polyethylene, 111.75 cm to 215.9 cm in width, and 152.4 cm to 304.8 cm in length, with a sticker attached to mark the center of each sheet, of a kind used in hospital or surgery center operating rooms (described in statistical reporting number 3920.10.0000)
8407.90.1020	Spark-ignition rotary or reciprocating internal combustion piston engines to be installed in agricultural or horticultural machinery or equipment, 4,476 W or more but not more than 37.6 kW, each valued not over \$180 (described in statistical reporting number 8407.90.1020)
8407.90.9010	Gasoline or liquid propane (LP) engines each having a displacement of more than 2 liters but not more than 2.5 liters (described in statistical reporting number 8407.90.9010)
8407.90.9040	Spark-ignition internal combustion piston engines, not elsewhere specified or included, 746 W or greater but not exceeding 4,476 W, with an engine displacement of not more than 430 cc (described in statistical reporting number 8407.90.9040)
8419.89.9585	Heat guns (described in statistical reporting number 8419.89.9585)
8419.89.9585	Heated tissue preparation microscope slide flattening tables (described in statistical reporting number 8419.89.9585)
8419.89.9585	Tissue sample paraffin floatation baths (described in statistical reporting number 8419.89.9585)
8424.89.9000	Air amplifiers powered solely by an external source of compressed air, which is routed through the apparatus in such a manner as to draw in ambient air, increase its speed and direct the air through an output port, each such apparatus not exceeding 1 kg in weight (described in statistical reporting number 8424.89.9000)
8424.89.9000	Apparatus capable of generating and projecting liquid particles of a size that simulates haze, fog or snow (depending on the composition of the liquid or powdered source), whether or not incorporating laser or other lighting apparatus (described in statistical reporting number 8424.89.9000)
8424.89.9000	Apparatus capable of mechanically generating and projecting bubbles from a liquid source, each apparatus weighing more than 2.5 kg but not more than 6.5 kg (described in statistical reporting number 8424.89.9000)
8424.89.9000	Aroma-spraying sets, each of which includes a battery-powered aerosol apparatus and a glass bottle containing not more than 25 ml of essential oil solution, each set weighing not more than 300 g (described in statistical reporting number 8424.89.9000)
8424.89.9000	Collars of a size suitable for dogs or cats, fitted with a means to provide a stimulus to the animal, by means of a sprayer, whether or not combined with a static electric discharge device or sound emitter; and such collars capable of being controlled by an external transmission device, whether or not the controller is presented with the collar as a set (described in statistical reporting number 8424.89.9000)

8424.89.9000	Dispensers of hand-cleaning or hand-sanitizing solutions, whether employing a manual pump or a proximity-detecting battery-operated pump, each article weighing not more than 3 kg (described in statistical reporting number 8424.89.9000)
8424.89.9000	Oral irrigators (dental water-jet machines) (described in statistical reporting number 8424.89.9000)
8424.89.9000	Parts washers, each consisting of a steel basin having a capacity no greater than 100 liters, steel drain plug, support legs and a shelf, a recirculating centrifugal pump assembly, a power cord incorporating an electrical fusible link, a gooseneck spigot assembly, with a steel lid held by a "piano-type" hinge and by a lid support bracket incorporating a mechanical fusible link (described in statistical reporting number 8424.89.9000)
8424.89.9000	Rotary surface washers, consisting of a tube, at one end of which is a fitting suitable for connection to an external power washer and a handle for controlling the position of the apparatus, and at the other end of which is an assembly of one or more rotating brushes that receive the output of the external power washer (described in statistical reporting number 8424.89.9000)
8424.89.9000	Wet- and dry-diffusion apparatus fitted for incorporation into scent-releasing machines (described in statistical reporting number 8424.89.9000)
8432.29.0060	Walk behind rotary tillers, electric powered, individually weighing less than 14 kg (described in statistical reporting number 8432.29.0060)
8432.42.0000	Fertilizer distributors with a capacity not exceeding 40 kg (described in statistical reporting number 8432.42.0000)
8465.95.0055	Benchtop drill presses, each with a power rating of less than 750 watts and valued under \$1,000 each (described in statistical reporting number 8465.95.0055)
8483.30.8020	Bearing housings each valued over \$2000 (described in statistical reporting number 8483.30.8020)
8501.10.6020	AC motors, of 18.65 W or more but not exceeding 37.5 W, each with attached actuators, crankshafts or gears (described in statistical reporting number 8501.10.6020)
8501.10.6020	C-frame 2-pole AC electric motors, of 18.65 W or more but not exceeding 37.5 W, each valued not over \$4 (described in statistical reporting number 8501.10.6020)
8501.10.6080	Electric motors, of 18.65 W or more but not exceeding 37.5 W, each valued over \$28 but not over \$35 (described in statistical reporting number 8501.10.6080)
8501.31.8010	Amorphous silicon solar chargers with a power output of 100 W or less (described in statistical reporting number 8501.31.8010)
8501.52.4000	Electric motors, each with an output rating not exceeding 800 W (described in statistical reporting number 8501.52.4000)
8503.00.9520	Armature shafts for electric motors of heading 8501 (described in statistical reporting number 8503.00.9520)

8503.00.9520	Windshield wiper motor covers and shafts (described in statistical reporting number 8503.00.9520)
8536.30.8000	Leakage current detection and interruption (LCDI) cords (described in statistical reporting number 8536.30.8000)
8537.10.3000	Control boards for stoves, ranges and ovens of heading 8516 (described in statistical reporting number 8537.10.3000)
8541.10.0050	Zener diodes, each valued not over \$0.25 (described in statistical reporting number 8541.10.0050)
8543.70.4500	Position or speed sensors for motor vehicle transmission systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)
8543.70.4500	Wheel speed sensors for anti-lock motor vehicle braking systems, each valued not over \$12 (described in statistical reporting number 8543.70.4500)
8543.70.9960	Antenna amplifiers, each valued not over \$15 (described in statistical reporting number 8543.70.9960)
8543.70.9960	Antenna noise suppressors, each valued not over \$5 (described in statistical reporting number 8543.70.9960)
8543.70.9960	Apparatus using passive infrared detection sensors designed for turning lights on and off (described in statistical reporting number 8543.70.9960)
8543.70.9960	Audio controllers, each valued not over \$100 (described in statistical reporting number 8543.70.9960)
8543.70.9960	Audio mixers, each valued not over \$75 (described in statistical reporting number 8543.70.9960)
8543.70.9960	Devices incorporating sensors and monitors for identifying encoded television and radio signal information of survey participants (described in statistical reporting number 8543.70.9960)
8543.70.9960	Electrically powered cat noise control devices (described in statistical reporting number 8543.70.9960)
8543.70.9960	Electrically powered combs of a kind used on pets (described in statistical reporting number 8543.70.9960)
8543.70.9960	Electrically powered dog training, controlling, repelling or locating apparatus whether or not put up in kits, including dog collars fitted with GPS or other transmitting or receiving devices and electrical barrier transmitter devices (described in statistical reporting number 8543.70.9960)
8543.70.9960	Electrically powered insect control apparatus (described in statistical reporting number 8543.70.9960)
8543.70.9960	Electrically powered static-emitting plastic strips designed for use in training or controlling pets (described in statistical reporting number 8543.70.9960)
8543.70.9960	LED lamps for flash curing nail polish (described in statistical reporting number 8543.70.9960)
8543.70.9960	Liquid leak detectors (described in statistical reporting number 8543.70.9960)

8543.70.9960	Multiple device remote controls, other than radio remote control, each valued not over \$2 (described in statistical reporting number 8543.70.9960)
8543.70.9960	Robots, programmable, measuring not more than 40 cm high by 22 cm wide by 27 cm deep, incorporating an LCD display, camera and microphone but without ``hands'' (described in statistical reporting number 8543.70.9960)
8607.30.1000	Couplers, knuckles and yokes and parts thereof for vehicles of heading 8605 or 8606 (described in statistical reporting number 8607.30.1000)
8711.10.0000	Motorcycles (including mopeds), with reciprocating internal combustion piston engine of a cylinder capacity not exceeding 50 cc, valued not over \$500 each (described in statistical reporting number 8711.10.0000)
9001.20.0000	Polarizing film, of triacetate, with a pressure sensitive adhesive backing (described in statistical reporting number)
9025.19.8040	Digital clinical thermometers, valued not over \$11 each (described in statistical reporting number 9025.19.8040)
9025.19.8080	Cooking thermometers, including candy and deep-fry thermometers (described in statistical reporting number 9025.19.8080)
9025.19.8080	Infrared thermometers (described in statistical reporting number 9025.19.8080)
9025.80.1000	Combined thermometer and hygrometer devices (described in statistical reporting number 9025.80.1000)
9028.10.0000	Pulse output gas meters of a kind that can be read remotely(described in statistical reporting number 9028.10.0000)
9028.20.0000	Pulse output water meters, of cast stainless steel (described in statistical reporting number 9028.20.0000)
9029.20.4080	Fingertip pulse oximeters (described in statistical reporting number 9029.20.4080)''