

List 3 HTS	Excluded Description
3824.99.3900	Chabazite zeolites having a silica-alumina ratio of 20:1 to 24:1, valued at \$31 to \$39 per kg (described in statistical reporting number 3824.99.3900)
3923.90.0080	Cups of polypropylene, with a fluted wood paper filter fitted and affixed to the inside, measuring 44.1 mm in height, of a kind used to produce capsules for single-cup coffee brewing systems (described in statistical reporting number 3923.90.0080)
4016.91.0000	Anti-electrostatic discharge mats, comprising a conductive rubber mat measuring 40 cm or more but not exceeding 60 cm in width, 80 or more but not exceeding 125 cm in length, and 2 mm in thickness, with integrated discharge points for a grounding wire clip or an anti-static wrist strap, such mats printed on the surface with measuring rules and technical reference data (described in statistical reporting number 4016.91.0000)
4016.93.1010	O-rings, of nitrile rubber, ethylene propylene diene monomer (EPDM) rubber or fluoroelastomers (described in statistical reporting number 4016.93.1010)
4201.00.3000	Dog harnesses and retractable dog leashes (described in statistical reporting number 4201.00.3000)
4402.10.0000	Portable, single-use grills for heating food, each comprising bamboo charcoal fuel, expanded perlite insulation, bamboo rods for suspending foods over the charcoal flame, and cut paper or paperboard in shapes specially designed for assembly of a grill body (described in statistical reporting number 4402.10.0000)
4412.99.5105	Laminated wood flooring panels having a hardwood veneer finished surface and a backing of pine strips or blocks, the panels having tongue-and-groove outer edges and being in thickness greater than 1.4 cm but not greater than 1.5 cm. (described in statistical reporting number 4412.99.5105)
4601.93.0100	Rattan webbing, woven into decorative patterns (described in statistical reporting number 4601.93.0100)
4823.70.0040	Paper pulp sponge blocks, measuring 38 cm by 38 cm by 102 cm (15 inches by 15 inches by 40 inches) (described in statistical reporting number 4823.70.0040)
5407.10.0010	Woven microfiber fabric of 100 percent polyester, not exceeding 150/75 or 104/72 threads per inch, weighing 83 gram/m ² (described in statistical reporting number 5407.10.0010)
5513.11.0040	Woven fabric sheeting of 65 percent polyester and 35 percent cotton, weighing less than 170g/ m ² , not exceeding 45/45 or 110/76 threads per inch (described in statistical reporting number 5513.11.0040)
5903.20.2500	Polyester or viscose fabric coated with polyurethane, the foregoing measuring 137 cm (54 inches) in width, and weighing 187 grams/m ² (described in statistical reporting number 5903.20.2500)
7314.14.1000	Stainless steel mesh filters (described in statistical reporting number 7314.14.1000)
7321.90.6090	Grills composed of steel wire, each measuring 49 cm by 47 cm (19.25 inches by 18.5 inches), weighing 0.36 kg (0.80 lbs.), designed as cooking surface of barbecue grill (described in statistical reporting number 7321.90.6090)
7616.99.5190	Mounting boards of aluminum for guitar sound modifying (“effect”) devices, each consisting of an aluminum frame with above ground slots for the placement of devices and floor level slots for the on/off foot-operated pedal switches which control the modifying devices (described in statistical reporting number 7616.99.5190)

8302.41.6080	Hand rails of tubular stainless steel, with wall connectors, of a length exceeding 300 mm but not exceeding 1.3 m (described in statistical reporting number 8302.41.6080)
8302.49.6085	Stamped and formed latches of steel (described in statistical reporting number 8302.49.6085)
8302.50.0000	Stamped and formed brackets of steel (described in statistical reporting number 8302.50.0000)
8407.32.9040	Spark ignition reciprocating piston engines of a cylinder capacity exceeding 100 cc but not exceeding 250 cc, not exceeding 10.0 kW (described in statistical reporting number 8407.32.9040)
8413.30.9030	Fuel pumps for internal combustion, spark ignition piston engines (described in statistical reporting number 8413.30.9030)
8414.90.1080	Parts, of aluminum, iron or steel, for blowers other than fans of 8414.51 (described in statistical reporting number 8414.90.1080)
8471.60.9050	Mouse input devices for automatic data processing (ADP) machines, each valued over \$70 (described in statistical reporting number 8471.60.9050)
8471.60.9050	Trackpad input units for automatic data processing (ADP) machines, each valued over \$100 (described in statistical reporting number 8471.60.9050)
8473.30.1180	Printed circuit assemblies to enhance the graphics performance of automatic data processing (ADP) machines ("accelerator modules") (described in statistical reporting number 8473.30.1180)
8473.30.1180	Printed circuit assemblies for rendering images onto computer screens ("graphics processing modules") (described in statistical reporting number 8473.30.1180)
8473.30.1180	Printed circuit assemblies, constituting unfinished logic boards (described in statistical reporting number 8473.30.1180)
8473.30.5100	Parts and accessories of machines of heading 8471 not incorporating goods of headings 8541 or 8542 (described in statistical reporting number 8473.30.5100)
8476.81.0000	Refrigerated and heated vending machines for dispensing live bait and fishing tackle, each machine weighing more than 350 kg (described in statistical reporting number 8476.81.0000)
8504.40.6018	Power supplies suitable for physical incorporation into automatic data processing (ADP) machines or units thereof of heading 8471, each with a power output exceeding 500 W, measuring 148mm in length, 43 mm in width and 335 mm in height (described in statistical reporting number 8504.40.6018)
8539.39.9000	Cold cathode electric neon discharge lamps, measuring 6.5 mm (1/4 inch) or less in diameter and 16 mm (5/8 inch) or less in length (described in statistical reporting number 8539.39.9000)
8708.30.5090	Guide pins and guide bolts designed for use in brakes and servo-brakes of subheading 8708.30 (described in statistical reporting number 8708.30.5090)
8708.91.5000	Aluminum radiators for motor vehicles of headings 8701 to 8705 (other than for tractors suitable for agricultural use), measuring 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in width, 50 cm or more but not exceeding 77 cm (20 inches to 30 inches) in height, and 5 cm or more but not exceeding 11 cm (2 inches to 4 inches) in thickness, consisting of upper and lower tanks or side tanks welded to a center core (described in statistical reporting number 8708.91.5000)

8712.00.2500	Single-speed bicycles having both wheels exceeding 63.5 cm in diameter, weighing less than 16.3 kg without accessories and not designed for use with tires having a cross-sectional diameter exceeding 4.13 cm (described in statistical reporting number 8712.00.2500)
8716.90.5060	Tractor trailer skirts, consisting of panels designed to be attached to each side of a trailer, each with an upper section having a polyethylene core, steel layer and polyester finish coat and each lower section composed of thermoplastic vulcanite compound (described in statistical reporting number 8716.90.5060)
9405.30.0010	Miniature lighting sets of a kind used for Christmas trees (described in statistical reporting number 9405.30.0010)
9405.40.8440	LED light fixtures, of a kind used in horticulture, containing over 5,000 LEDs spread across 6 light bars (described in statistical reporting number 9405.40.8440)
9405.50.4000	Garden, patio and table top wick burning torches for outdoor use (described in statistical reporting number 9405.50.4000)
9405.99.4090	Lamp shades of fabric over metal frame (described in statistical reporting number 9405.99.4090)