HTS	List 1, Tranche 7, Specific Exclusion Removed
8466.30.8000	Machine tool stands having leveling, stabilizing, attachment or other
	special features (described in statistical reporting number 8466.30.8000)
8479.89.9499	Granulating machines not specifically designated for use with specific
	particulate materials, each valued more than \$25,000 (described in
	statistical reporting number 8479.89.9499)
8479.89.9499	Vertical or single shaft shredding machines of a kind suitable for use in the
	recycling industry, weighing over 10,000 kg but not over 15,000 kg each
	(described in statistical reporting number 8479.89.9499)
8529.10.9100	CB radio antennas (described in statistical reporting number 8529.10.9100)
0329.10.9100	
HTS	List 2 Tranche 2 Specific Exclusion Removed
HTS	List 2, Tranche 2, Specific Exclusion Removed Structural angles of aluminum, in a V shape with a 90 degree angle, for
HTS	Structural angles of aluminum, in a V shape with a 90 degree angle, for
	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with
HTS 7610.90.0080	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a
	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical
	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical reporting number 7610.90.0080)
7610.90.0080	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical
	Structural angles of aluminum, in a V shape with a 90 degree angle, for sliding or rolling driveway gates, in packages containing 2 or 3 angles, with each piece of a length exceeding 1.5 m but not exceeding 2.0 m and a width exceeding 4 cm but not exceeding 8 cm (described in statistical reporting number 7610.90.0080) Three-wheeled carriages for disabled persons, with electric power for