

**Round 9 of China Section 301 List 3 Exclusions**

<b>HTS</b>	<b>Excluded Description</b>
2940.00.6000	D-Ribose (CAS No. 50-69-1) (described in statistical reporting number 2940.00.6000)
4016.99.6010	Mechanical articles for motor vehicles, of vulcanized rubber other than hard rubber, each comprising a guide or a stopper for a sunroof or sunshade and weighing not more than 4 g (described in statistical reporting number 4016.99.6010)
4202.92.3131	Stuff sacks with outer surface of textiles of man-made fibers, each measuring 77.5 cm or more but not over 127.7 cm in circumference, cylindrical in shape with a single compartment, a drawstring closure at one end and a strap at the other end of the sack (described in statistical reporting number 4202.92.3131)
4205.00.8000	Covers, of leather, designed for use with telecommunication devices (described in statistical reporting number 4205.00.8000)
4412.99.5105	Two-layer wood flooring consisting of a non-coniferous wood veneer measuring at least 0.6 mm but not more than 1.2 mm in thickness laminated to a single-layer base of fiberboard, each board measuring at least 9 cm but not more than 21 cm in width, at least 35 cm but not more than 1.9 m in length and at least 5 mm but not more than 12 mm in thickness (described in statistical reporting number 4412.99.5105)
4420.90.8000	Desk accessories of medium density fiberboard, painted or stained, including but not limited to desk organizers, letter trays, business card holders, incline files, pencil cups, note holders, corner shelves, monitor risers, magazine holders, book ends and storage caddies, each weighing at least 0.06 kg but not more than 5.5 kg, measuring at least 10 cm but not more than 35 cm in length, at least 4 cm but not more than 43 cm in width and at least 4.5 cm or more but not more than 30 cm in height (described in statistical reporting number 4420.90.8000)
5208.11.4090	Fabrics wholly of cotton, unbleached, plain weave, weighing not more than 100 g/m <sup>2</sup> , of numbers 43 to 68 ("cheesecloth"), 3 layer folded and crimped, less than 28 cm wide after folding and crimping, compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.11.4090)
5208.21.4090	Fabrics wholly of cotton, bleached, plain weave, weighing not more than 100 g/m <sup>2</sup> , of numbers 43 to 68 ("cheesecloth"), compliant with standards of Aerospace Management Services (AMS) (described in statistical reporting number 5208.21.4090)
5407.92.2090	Woven fabrics of synthetic filament yarn, dyed, weighing more than 280 g/m <sup>2</sup> but not more than 420 g/m <sup>2</sup> (described in statistical reporting number 5407.92.2090)
5516.44.0022	Sheeting fabrics containing less than 85 percent by weight of artificial staple fibers, mixed mainly or solely with cotton, such artificial staple fibers derived from wood, printed (described in statistical reporting number 5516.44.0022)

5603.94.9090	Non-woven fabrics of polyethylene terephthalate (PET), in sheets measuring not more than 160 cm by 250 cm, weighing more than 1,800 g/m <sup>2</sup> but not more than 3,000 g/m <sup>2</sup> (described in statistical reporting number 5603.94.9090)
6001.92.0010	Fabrics wholly of polyester, warp knit, bonded to a plain weave backing fabric, measuring not more than 141 cm in width, weighing over 271 g/m <sup>2</sup> , of a kind used to upholster furniture (described in statistical reporting number 6001.92.0010)
6003.40.6000	Knitted or crocheted fabrics of artificial staple fibers derived from bamboo (described in statistical reporting number 6003.40.6000)
6005.39.0080	Fabrics wholly of polyester, warp knit, printed, bonded to a woven backing wholly of polyester, weighing not less than 290 g/m <sup>2</sup> but not more than 500 g/m <sup>2</sup> , of a kind used to upholster furniture (described in statistical reporting number 6005.39.0080)
7321.11.1060	Portable outdoor cookers, each consisting of a burner and stand made from steel and cast iron, two or more pots with fitted strainer baskets, a rack suitable for supporting and lifting out large food items and an adjustable pressure regulator/hose combination for connecting the burner to a portable container of LP, put up for retail sale (described in statistical reporting number 7321.11.1060)
7616.99.5150	Sewer hose supports constructed of flat strips of aluminum measuring 0.3 cm in thickness and riveted together to extend and retract accordion-style, each not exceeding 4.6 m when extended and weighing not more than 1.5 kg (described in statistical reporting number 7616.99.5150)
7616.99.5190	Clamp edge components of aluminum, with injection molded clamp heads and levers, measuring not less than 60 cm but not more than 127 cm in length, with extensions to 254 cm in length (described in statistical reporting number 7616.99.5190)
8201.10.0000	Shovels of aluminum, each of adjustable length measuring not less than 65 cm but not more than 85 cm, weighing less than 1 kg (described in statistical reporting number 8201.10.0000)
8207.90.7585	Automotive polishing attachments specially designed for use with a hand-held drill, each attachment including a 9.5 mm steel drive shaft, internal gear assembly, transverse hand brace and rotating disk components (described in statistical reporting number 8207.90.7585)
8302.50.0000	Articulating video monitor wall mounting assemblies of steel and aluminum, each weighing not less than 4 kg but not more than 7 kg (described in statistical reporting number 8302.50.0000)
8421.23.0000	Fuel filters for internal combustion engines, each consisting of a cylindrical case of plastics with an internal mesh filter measuring not more than 8 cm in length and not more than 5.5 cm in diameter (described in statistical reporting number 8421.23.0000)

8423.81.0040	Digital electronic scales (other than counting scales or retail scales) having a maximum weighing capacity not exceeding 30 kg (described in statistical reporting number 8423.81.0040)
8425.49.0000	Jacks of steel with zinc coating for supporting the tongues of trailers, each measuring not less than 60 cm in retracted condition and not less than 85 cm in extended condition, with a maximum width of 17 cm and a maximum load capacity of 455 kg (described in statistical reporting number 8425.49.0000)
8470.90.0190	Lottery ticket vending terminals, each terminal including a touchscreen monitor, barcode scanner, Wi-fi/Ethernet/Bluetooth connectivities, six USB ports, two LAN ports and two serial ports (described in statistical reporting number 8470.90.0190)
8481.80.3010	Hand-operated flat-back gate valves of cast iron, designed for use with irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010)
8481.80.3010	Hand-operated spigot-back gate valves of cast iron, for irrigation canals, diversion ditches and the like (described in statistical reporting number 8481.80.3010)
8501.40.4040	AC motors, single phase, each of an output exceeding 74.6 W but not exceeding 335 W, measuring not more than 13 cm in diameter and not more than 13 cm in height and with a shaft measuring not more than 39 cm in length (described in statistical reporting number 8501.40.4040)
8504.40.8500	48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 2,400 W but not more than 3,000 W, measuring not more than 45 mm by 105 mm by 330 mm, weighing not more than 2 kg (described in statistical reporting number 8504.40.8500)
8504.40.8500	48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not less than 4,000 W but not more than 4,600 W, measuring not more than 165 mm by 95 mm by 305 mm, weighing not more than 4 kg (described in statistical reporting number 8504.40.8500)
8504.40.8500	48 V rectifiers for telecommunications wireline and wireless apparatus, each with output of not more than 1,200 W output, measuring not more than 50 mm by 90 mm by 260 mm, weighing not more than 1 kg (described in statistical reporting number 8504.40.8500)
8504.40.8500	Power supplies for cable networks, that convert 120 V/60 Hz AC input to either 63 V AC or 87 V AC output, each measuring not more than 200 mm by 425 mm by 270 mm and weighing not more than 27.5 kg, containing printed circuit board assemblies, a transformer, and an oil filled capacitor (described in statistical reporting number 8504.40.8500)
8504.40.8500	Power supplies for cable networks, that converts 120 V/60 Hz AC or 230 V/50 Hz AC input to 63 V AC or 87 V AC output, each measuring not more than 220 mm by 244 mm by 200 mm and weighing not more than 12 kg (described in statistical reporting number 8504.40.8500)

8504.40.8500	Power supplies for fiber optic communications equipment, that convert 120- 240 V AC to 12 V DC, each measuring no more than 170 mm by 200 mm by 115 mm and having four LED indicators (described in statistical reporting number 8504.40.8500)
8504.40.8500	Quad output power modules with cut-outs on one side for air flow, each containing a printed circuit board and 4 LED indicators, with external dimensions measuring not more than 361 mm by 125 mm by 75 mm, each weighing not more than 1 kg (described in statistical reporting number 8504.40.8500)
8504.40.9530	Power supplies with a power output exceeding 150 W but not exceeding 180 W, 120 V, each measuring no more than 90 mm by 395 mm by 625 mm (described in statistical reporting number 8504.40.9530)
8504.40.9540	Power supplies, each with 120 V AC input and output, measuring not more than 485 mm by 385 mm by 260 mm, weighing not more than 15 kg, to provide not more than 660 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540)
8504.40.9540	Power supplies, each with 120 V AC input and output, measuring not more than 530 mm by 355 mm by 205 mm, weighing not more than 20 kg, to provide not more than 2,000 W of power in an uninterruptible manner in the event that a normal source of power fails (described in statistical reporting number 8504.40.9540)
8504.40.9570	Electrical inverters (other than rectifiers, power supplies for automatic data processing equipment or for telecommunications apparatus), each measuring not more than 190 mm by 160 mm by 255 mm, weighing not more than 2.5 kg (described in statistical reporting number 8504.40.9570)
8531.90.9001	Tags for acousto-magnetic security systems (described in statistical reporting number 8531.90.9001)
8536.69.8000	Cable lugs of copper, for a voltage not exceeding 1,000 V, each measuring at least 12 mm but not more than 155 mm in length (described in statistical reporting number 8536.69.8000)
8537.10.9150	Printed circuit board assemblies, for a voltage not exceeding 1,000 V, each measuring 3 mm by 169 mm by 137.5 mm, presented with four relays mounted down the center of the assembly and fitted with connectors (described in statistical reporting number 8537.10.9150)
8544.42.9090	Electric conductors for a voltage not exceeding 300 V, insulated with polyvinyl chloride (PVC), each fitted with connectors, measuring not less than 200 mm and not more than 1.2 m in length (described in statistical reporting number 8544.42.9090)
9403.50.9042	Toddler beds of wood, with bars to keep toddler from falling out (described in statistical reporting number 9403.50.9042)
9403.60.8081	Fireplace mantels or surrounds of wood (described in statistical reporting number 9403.60.8081)

9403.90.8041	Parts of office furniture, each consisting of a modular table base and support of base metals, with electric height adjustment mechanism, weighing not more than 40 kg (described in statistical reporting number 9403.90.8041)
--------------	---